

## Powder Pigments

### Description

A range of multi-use powder pigments made from earth, minerals, metal oxides and mixed oxides.

### Uses

For tinting selected products in The Natural Paint Company range and for use with artist grade mediums:

- The Natural Paint Company Lazure Glaze
- The Natural Paint Company Wall Paint
- The Natural Paint Company Exterior Silicate Paint (except for pigment 1313)
- Plaster paints
- For use in artwork

**Note:** Must be premixed into a carrier.

### Colours

The following colours are available and can be intermixed to make a wide range of pigments:

1301	Ebony Black
1302	Red Iron Oxide
1303	Umber
1304	Ochre Red
1305	Ochre Rust Brown
1306	Yellow Orange
1307	Ochre Yellow
1309	Red
1310	Ultramarine Blue
1311	Sun Yellow
1312	Ultramarine Violet
1313	Ultramarine Red
1314	Violet
1315	Spinell Green
1316	Spinell Turquoise
1317	Spinell Blue

### Additional Information

Powder Pigments can be used in conjunction with products from The Natural Paint Company's range – or they can be used by artists to craft their own paint products, it's a



very experimental process to find a recipe that works for you. We have a number of artists who like to use these pigments. Finding their own techniques for making paints is often something they prefer to keep to themselves.

Search the internet for recipes if you would like to discover more.

Can be used with The Natural Paint Company Lazure Glaze; Wall Paint or Exterior Silicate Paint to extend or vary the existing colour availability.

**DIY - If customer is applying themselves:** We'll be happy to talk you through the painting process when you're ready to paint.

**Non-DIY if the customer is using a tradesman:** We'll be happy to speak with your tradesman about the recommended techniques to achieve a high-quality finish.

QUESTIONS	Answers
How do I use them?	They must be mixed into a medium of some sort. Water or oils.  For oils – it's best for customer to do their own experiments.  See Data Sheet 'Applying the Product' for our instructions on how to use with Water-based products.
Are they completely natural?	Three are completely natural: umber, ochre and red oxide.  The rest are man-made but are made from a natural base.
Are they nontoxic?	Yes.
How do I calculate coverage?	It depends on the final product they are mixed into or made into.  For instance - see Wall Paint Data Sheet for coverage if they are mixed into Wall Paint.
Do you have a colour range I can see?	Not at this stage but we are in the process of having one made.
Can I mix them into my own lime wash mixture?	Yes. We have had customers who have successfully done this.



## **Applying the Product**

1. To use with The Natural Paint Company products such as Lazure Glaze, Wall Paint, or Exterior Silicate Paint:
  - a. Premix 75gms of pigment with 100mls of water.
  - b. Stir/shake well and leave for 12 hours before using.
  - c. Add the appropriate amount of the liquid form of the pigment mix to the desired paint product. Ensure it is well mixed before use.
  - d. Follow the relevant product procedure for application - see Data Sheets.
2. Or mix as desired when using as an art medium.

## **Cleaning**

- Wash immediately with water or The Natural Paint Company Thinner – depending on the carrier used.
- Wash in sinks that flow to sewers, not storm water drains.

## **Safety Precautions**

Natural ingredients can still be harmful to users and the environment if misused, or if accidents occur, so please carefully observe the following:

- Keep out of reach of children.
- Avoid dust vapour.
- Keep Powder Pigments 1310,1312,1313,1314 away from acids.

## **Storage**

- Seal well and store in a cool and dry place.

## **Disposal**

- Do not dispose of in drains and wastepipes.
- Let waste dry out and recycle empty containers where possible. Dispose of according to council regulations.

## **Disclaimer**

The above information is given as a general guide only. Site conditions will vary, and it is always advisable to apply a test sample. Failure to follow the above instructions will void all warranties attached to the product. This supersedes any previous data sheets.

